

BETTER SNOOKER, BETTER LIFE.

Snooker[®]

Shanghai Chuangli Refrigeration Equipment Co.,Ltd.

Factory Address: No. 555 Tianyi Road Qingpu District, Shanghai, China.

Fax: +86-21-34203259-803

Email: sales@snooker.tm

Sales Office Address: Room 610, Building D, No.1058 Shenbin South Road, Minhang District, Shanghai, China.

Tel: +86-21-34203292

Web: www.snooker.tm

Snooker[®]

SNOOKER ICE MACHINE ICE. PURE AND SIMPLE



About Us

3

years warranty

15

years history

30⁺

R&D employees.

40⁺

patents

100⁺

export to countries

300⁺

staffs

60000

square meters factory



ICE SHAPES



Cube

- Larger heat exchange area speeds up the cooling rate of beverages
- Can do different specifications of ice cubes, perfect for mixed drinks, carbonated beverages, ice displays and ice retailing in all types of operations. Popular for restaurant, convenience store, hotel or other establishment.



Bullet

- Much more crystal clear Complete shape, high cooling efficiency Heavier bullet ice weight & slower melting High hardness, slower melting.
- Not easy to melt for better taste drinking. More popular for home, restaurants, bar, hotels, etc.



Nugget / Granular

- The ice are presented in the most natural shape, and the temperature is basically below zero degrees Celsius.
- Easy to chew, fun to crunch, absorb flavors of beverages, cools beverages quickly. Perfect for soft or blended drinks, smoothies, food displays and everyday uses.



Flake

- Because the water content is less than 2%, this type of ice is the driest and has the lowest freezing point.
- It is composed of irregular ice cubes, the thickness can be adjusted between 1 to 2 mm. It is very suitable for industrial processing, fish and seafood display and transportation of perishable goods, as well as optimization of dough temperature.



Crescent

- Crescent ice better control the dosage, balance the ratio of beverage and ice.
- Recommended hardness, not easy to melt, good for cold drinks.



Chewblet

- The soft, chewable ice form is a favorite for fountain beverages, smoothies, blended cocktails, salad bars, therapeutic use, and many other applications.



CONTENTS



Cube Ice Machine 02-07



Ice Dispenser 08-09



Bullet Ice Machine 10-11



Granular Ice Machine 12-13



Flake Ice Machine 14-15




Crescent Ice Machine 16-17




Chewblet Ice Machine 18-19


Products Advantage
After-sales Service Promise 20-21



Half
22×13×22mm / 28×13×22mm
5g / 6g



Standard
22×22×22mm
9g




Bigger
28×28×22mm
15g


CUBE ICE MACHINE

Vertical Type – Classic


MODEL	SK-80P	SK-120P
Ice Production	36kg / 24h	55kg / 24h
Ice Storage	15 kg	18 kg
Power	310 w	460 w
Gross Weight	40 kg	50 kg
Dimension	500 × 450 × 803 mm	500 × 590 × 853 mm



MODEL	SK-80PT	SK-120PT
Ice Production	36kg / 24h	55kg / 24h
Ice Storage	15 kg	18 kg
Power	310 w	460 w
Gross Weight	40 kg	50 kg
Dimension	500 × 450 × 840 mm	500 × 590 × 890 mm



MODEL	SK-160P	SK-210P	SK-280P
Ice Production	73kg / 24h	95kg / 24h	127kg / 24h
Ice Storage	36 kg	36 kg	36 kg
Power	480 w	625 w	730 w
Gross Weight	65 kg	66 kg	67 kg
Dimension	660.2 × 707 × 919 mm	660.2 × 707 × 919 mm	660.2 × 707 × 919 mm



CUBE ICE MACHINE

Modular Type – Classic



MODEL	SK-350P	SK-420P
Ice Production	160kg / 24h	190kg / 24h
Ice Storage	125 kg	125 kg
Power	760 w	790 w
Gross Weight	94 kg	96 kg
Dimension	605 × 832 × 1715 mm	605 × 832 × 1715 mm
Products Size (unit:mm)		



MODEL	SK-500P	SK-700P
Ice Production	225kg / 24h	315kg / 24h
Ice Storage	170 kg	170 kg
Power	1050 w	1680 w
Gross Weight	120 kg	122 kg
Dimension	803 × 832 × 1715 mm	803 × 832 × 1715 mm
Products Size (unit:mm)		



MODEL	SK-1000P
Ice Production	455kg / 24h
Ice Storage	170 kg
Power	2400 w
Gross Weight	140 kg
Dimension	803 × 832 × 1890 mm
Products Size (unit:mm)	

CUBE ICE MACHINE

Modular Type – Classic



MODEL	SK-1500P	SK-2000P
Ice Production	680kg / 24h	900kg / 24h
Ice Storage	350 kg	350 kg
Voltage	220 V / 1P	380 V / 3 P
Power	3400 w	6200 w
Gross Weight	220 kg	270 kg
Dimension	1262 × 965 × 1927 mm	1262 × 965 × 2057 mm
Products Size (unit:mm)		

Summary table

Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-80P	36 kg / 24 h	15 kg	310 w	40 kg	500 × 450 × 803 mm
SK-80PT	36 kg / 24 h	15 kg	310 w	40 kg	500 × 450 × 840 mm
SK-120P	55 kg / 24 h	18 kg	460 w	50 kg	500 × 590 × 853 mm
SK-120PT	55 kg / 24 h	18 kg	460 w	50 kg	500 × 590 × 890 mm
SK-160P	73 kg / 24 h	36 kg	480 w	65 kg	660.2 × 707 × 919 mm
SK-210P	95 kg / 24 h	36 kg	625 w	66 kg	660.2 × 707 × 919 mm
SK-280P	127 kg / 24 h	36 kg	730 w	67 kg	660.2 × 707 × 919 mm
SK-350P	160 kg / 24 h	125 kg	760 w	94 kg	605 × 832 × 1715 mm
SK-420P	190 kg / 24 h	125 kg	790 w	96 kg	605 × 832 × 1715 mm
SK-500P	225 kg / 24 h	170 kg	1050 w	120 kg	803 × 832 × 1715 mm
SK-700P	315 kg / 24 h	170 kg	1680 w	122 kg	803 × 832 × 1715 mm
SK-1000P	455 kg / 24 h	170 kg	2400 w	140 kg	803 × 832 × 1890 mm
SK-1500P	680 kg / 24 h	350 kg	3400 w	220 kg	1262 × 965 × 1927 mm
SK-2000P	900 kg / 24 h	350 kg	6200 w	270 kg	1262 × 965 × 2057 mm




CUBE ICE MACHINE

Under-Counter Type – Exclusive



MODEL	SK-51B	SK-81B	SK-101B
Ice Production	50kg / 24h	80kg / 24h	100kg / 24h
Ice Storage	30 kg	30 kg	30 kg
Power	465 w	660 w	660 w
Gross Weight	50 kg	65 kg	67 kg
Dimension	666 × 637 × 775 mm	666 × 637 × 775 mm	666 × 637 × 775 mm



Summary table

Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-51B	50 kg / 24 h	30 kg	465 w	50 kg	666 × 637 × 775 mm
SK-81B	80 kg / 24 h	30 kg	660 w	65 kg	666 × 637 × 775 mm
SK-101B	100 kg / 24 h	30 kg	660 w	67 kg	666 × 637 × 775 mm



ICE DISPENSER



ICE DISPENSER



MODEL	HD-130B
Ice Dispenser Capacity	60 kg
Ice Output Speed	5kg / min
Power	210 w
Gross Weight	83kg
Dimension	560 × 855 × 1360 mm
Products Size (unit:mm)	


Advantage

- No touch, more convenient and hygienic for taking ice
- 304 Luxury stainless steel
- Easy to operate and maintain
- Efficient ice dispensing
- Adjustable feet

HD-130B Ice dispenser can also work with SK-350P / 420P machine head, add UV module with high sterilization efficiency.

Summary table


Model	Output Speed	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
HD-130B	5 kg / min	60 kg	210 w	83 kg	560 × 855 × 1360 mm




BULLET ICE MACHINE



MODEL	SK-25C	SK-35C
Ice Production	25kg / 24h	35kg / 24h
Ice Storage	15 kg	15 kg
Power	330 w	350 w
Gross Weight	43 kg	43 kg
Dimension	375 × 553 × 762 mm	375 × 553 × 762 mm




MODEL	SK-55C	SK-75C
Ice Production	55kg / 24h	75kg / 24h
Ice Storage	30 kg	30 kg
Power	500 w	670 w
Gross Weight	71 kg	71 kg
Dimension	666 × 637 × 775 mm	666 × 637 × 775 mm



Summary table


Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-25C	25 kg / 24h	15 kg	330 w	43 kg	375 × 553 × 762 mm
SK-35C	35 kg / 24h	15 kg	350 w	43 kg	375 × 553 × 762 mm
SK-55C	55 kg / 24h	30 kg	500 w	71 kg	666 × 637 × 775 mm
SK-75C	75 kg / 24h	30 kg	670 w	71 kg	666 × 637 × 775 mm




GRANULAR ICE MACHINE



MODEL	SK-068F	SK-128F
Ice Production	60kg / 24h	120kg / 24h
Ice Storage	20 kg	50 kg
Power	300 w	680 w
Gross Weight	61 kg	112 kg
Dimension	520 × 560 × 955 mm	650 × 660 × 1050 mm



MODEL	SK-258F	SK-358F	SK-458F
Ice Production	250kg / 24h	350kg / 24h	450kg / 24h
Ice Storage	125 kg	125 kg	125 kg
Power	1180 w	1450 w	2000 w
Gross Weight	130kg	135 kg	140 kg
Dimension	583 × 830 × 1760 mm	583 × 830 × 1810 mm	583 × 830 × 1860 mm



Summary table

Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-068F	60 kg / 24h	20 kg	300 w	61 kg	520 × 560 × 955 mm
SK-128F	120 kg / 24h	50 kg	680 w	112 kg	650 × 660 × 1050 mm
SK-258F	250 kg / 24h	125 kg	1180 w	130 kg	583 × 830 × 1760 mm
SK-358F	350 kg / 24h	125 kg	1450 w	135 kg	583 × 830 × 1810 mm
SK-458F	450 kg / 24h	125 kg	2000 w	140 kg	583 × 830 × 1860 mm

FLAKE



Products Size (unit:mm)

The technical drawings show the following dimensions:

- Front View:** Total width is 783mm, with a base width of 764mm.
- Side View:** Total depth is 829mm.
- Detailed Front View:** Shows specific vertical dimensions from top to bottom:
 - Total height: 1950⁺²⁰/₀ mm
 - Top section height: 1786 mm
 - Section below top panel: 57 mm
 - Height to coin slot: 1807⁺²⁰/₀ mm
 - Height to product dispenser: 1734⁺²⁰/₀ mm
 - Height to base: 1214⁺²⁰/₀ mm
 - Base height: 160⁺²⁰/₀ mm
- Labels:** Air switch, Power input, Water inlet.

Products Size (unit:mm)

The technical drawing shows three views of the HX-1000A dehumidifier. The front view shows a unit with a top width of 1256 mm and a main body width of 1225 mm. The side view shows a depth of 945 mm. The top view shows a rectangular unit with a front width of 1225 mm and a depth of 945 mm. The front view also shows a control panel on the right side of the top section. The side view shows a hinged door on the right side of the main body. The top view shows a grid of air filters on the right side of the top section. The dimensions are given in mm, with some values in parentheses indicating tolerances.

View	Dimension	Value (mm)
Front View	Top Width	1256
	Main Body Width	1225
Side View	Depth	945
Top View	Front Width	1225
	Depth	945
	Top Section Width	1225
	Top Section Depth	1854 ⁺¹⁰ ₀
	Top Section Width (Inner)	1754 ⁺¹⁰ ₀
	Top Section Depth (Inner)	1284 ⁺¹⁰ ₀
	Top Section Width (Outer)	1284 ⁺¹⁰ ₀
	Top Section Depth (Outer)	1284 ⁺¹⁰ ₀
	Top Section Width (Inner)	1225
	Top Section Depth (Inner)	1225


Model	Output 24hrs	Ice Storage	Voltage	Power	Gross Weight	Net Dimension [Feet Included (W x D x H/mm)]
SK-033	300 kg / 24h	170 kg	220V 1P	1880 w	180 kg	783 x 829 x 1795 mm
SK-053	500 kg / 24h	170 kg	220V 1P	2750 w	195 kg	783 x 829 x 1950 mm
SK-083	800 kg / 24h	170 kg	220V 1P	3800 w	200 kg	783 x 829 x 1950 mm
SK-103	1000 kg / 24h	350 kg	380V 3P	6200 w	330 kg	1256 x 945 x 2160 mm
SK-123	1200 kg / 24h	350 kg	380V 3P	6300 w	330 kg	1256 x 945 x 2160 mm
SK-153	1500 kg / 24h	350 kg	380V 3P	7400 w	350 kg	1256 x 945 x 2160 mm




CRESCENT ICE MACHINE



MODEL	SK-220M	SK-280M
Ice Production	95kg / 24h	127kg / 24h
Ice Storage	40 kg	40 kg
Power	770 w	780 w
Gross Weight	70 kg	77 kg
Dimension	650 × 651 × 1063 mm	650 × 651 × 1063 mm




MODEL	SK-320M	SK-620M
Ice Production	145kg / 24h	280kg / 24h
Ice Storage	125 kg	125 kg
Power	850 w	1800 w
Gross Weight	118 kg	131 kg
Dimension	583 × 830 × 1897 mm	583 × 830 × 1897 mm



Summary table

Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-220M	95 kg / 24h	40 kg	770 w	70 kg	650 × 651 × 1063 mm
SK-280M	127 kg / 24h	40 kg	780 w	77 kg	650 × 651 × 1063 mm
SK-320M	145 kg / 24h	125 kg	850 w	118 kg	583 × 830 × 1897 mm
SK-620M	280 kg / 24h	125 kg	1800 w	131 kg	583 × 830 × 1897 mm




CHEWBLET


CHEWBLET ICE MACHINE



MODEL	SK-258N
Ice Production	250kg / 24h
Ice Storage	125 kg
Power	1160 w
Gross Weight	140 kg
Dimension	583 × 830 × 1760 mm



MODEL	SK-508N
Ice Production	560kg / 24h
Ice Storage	350 kg
Power	2600 w
Gross Weight	280 kg
Dimension	1256 × 947 × 1904 mm



Summary table

Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-258N	250 kg / 24h	125 kg	1160 w	140 kg	583 × 830 × 1760 mm
SK-508N	560 kg / 24h	350 kg	2600 w	280 kg	1256 × 947 × 1904 mm

PRODUCTS ADVANTAGE

- 304 / 316 luxury stainless steel
- Food grade liner
- Environmentally friendly ABS & PE material
- Copper nickel-plated evaporator, more effective anti-corrosion
- High quality compressor

3 years warranty
24 hours after-sales online Q&A

AFTER-SALES SERVICE PROMISE

