Model :	DESCRIPTION	РНОТО
DS-CH-BQ96	DSS Mobile Hot Banquet Carts:	
	Mobile CIRCUM Heat Hot Banquet Cart, specially	
	designed and made for banquet's needs with	The state of the s
	plated food. 96 plates sized in 254mm in dia.max.,	
	with plate carrier (covered or uncovered); 24 plate	MIDAM PROPERTY AND A
	carriers are needed for a full capacity; (with 4	ALARMY AT THE ATTE D
	Chrome Plated Shelves); Plate carriers are	
	optional accessories.	
	950 x 890 x 1800mm	TOTAL ALIGNMENT AND A STATE
		C C
DS-CH-MH30/2D	DSS Mobile Hot Banquet Carts:	
	Mobile CIRCUM Heat Hot Holding Cabinet. One	and an other states of the sta
	single compartment with one temperature control	-
	but with two doors to help preserving the	- TH
	temperature while door needs to be opened. (This	L I
	is suitable and practical for hot food catering	
	services). 30 x GN 1/1 pans or 15 x GN 2/1 pans	
	840 x 915 x 1800mm	
		5

DS-CH-MH48/2D	DSS Mobile Hot Banquet Carts:		
	Mobile CIRCUM Heat Hot Holding Cabinet.	· • • • • • • • • • • • • • • • • • • •	
	One single compartment with one	IN THE REPORT OF A CONTRACT OF A	
	temperature control but with two doors to		
	help preserving the temperature while door		
	needs to be opened. (This is suitable and		
	practical for hot food catering services).		
	Capacity: 48 x GN 1/1 pans or 24 x GN 2/1		
	pans in 105mm depth	MELLER FALLBERTHERE	
	1590 x 915 x 1800mm		
DS-MR24	DSS Mobile Cold Carts		
DS-MR24	Mobile Cold Carts Mobile Cold Cart, most suitable for cold food		
	storage & cold food catering services; 24 x		
	GN 1/1 pans or 12 x GN 2/1 pans		
	840 x 915 x 1800mm		
DS-CH-BQ192	DSS MOBILE CIRCUM HEAT HOT BANQUET CART		
	CAPACITY:192 PLATES SIZED IN 254MM 32 SHEL		
	1800X880X1800MM 288KG 220-240V/50/1/3KW/12AN		
	TEMP:+27~+93C		

DS-CH-MH16/NV	DSS MOBILE CIRCUM HEAT HOT CABINET 2 I	250 • • •
	SINGLE COMPARTMENT WITH ONE CONTRO	munitaneous
	CAPACITY:15XGN 1/1 OR 30 GN 1/2 PANS 650X8	
	220-240V/50/1/1700W/13AMPS 118KG TEMP:+270	
		on contrast of the second
		1
		1 I I
		0
DS-CH-CW/C20.10	DSS STATIONARY CIRCUM HEAT HOLDING C	
	BUILT FOR CONVOTHERM COMBI 20.10 EXCL	UDE RO
	680X885X1900MM 156KG TEMP:+27~+93C]]
	220-240V/50/1/2500W/13AMPS CAPACITY:20 GN	1/1
		1 1 1 K
DS-MR12/NV	DSS MOBILE REFRIGERATED COLD CART	🐼 🔲 091.0
	CAPACITY:12 XGN 1/1 PANS OR	
	24 GN 1/2 PANS 650X800X1800MM	
		-