

图示尺寸与实物尺寸可能略有差异，本公司有权修改或取消上述产品，恕不另行通知。
由于印刷的关系，正式产品的颜色与所示的图片有部分差异，一切以实品颜色为准。
The size shown in the picture may be slightly different from the actual size. The company reserves the right to modify or cancel the above products without prior notice. Due to printing, the color of the official product is partially different from the picture shown. All colors shall prevail with the actual product.

广州市君畅金属塑胶制品有限公司
GUANGZHOU JUN CHANG METAL PLASTIC PRODUCTS CO.,LTD

电话：86-20-37508818 / 37508828
传真：86-20-37508700
邮箱：GZJUNCHANG@ALIYUN.COM
地址：广州市从化区鳌头镇龙潭村琶江路 83 号之一
Add No. 83 Pajiang Road, Longtan Village, Aotou Town,
Conghua District, Guangzhou City





君 畅JUNCHANG

PRODUCT
MANUAL 2024
工程配套标准款




WWW.POWERTHIS.NET 广州市君畅金属塑胶制品有限公司



爱厨房，爱君畅

Love Kitchen Love Jun Chang



About Us

企业简介



公司成立于2008年，主要生产厨房工程配套环保塑料，金属线网组合层架，塑料周转物料车，冲地龙头，高压花洒龙头，星盘水槽龙头。工厂位于广州市从化区，现有MELAYSI美力思,君畅JUN CHANG品牌。

公司自购工业用地十亩，建筑面积7000平米，现与全国工程公司，部分星级酒店长期供货合作，国外市场销往中东，东南亚，南美。君畅公司十六年的发展一直坚持用心经营企业，细心做好产品，诚心结交合作朋友，做优质信赖的中国实体制造业！

用心做企业，用心做产品，企业和员工齐心协力共同发展。

The company was established in 2008, the main production kitchen project supporting environmental protection plastic, metal wire combination shelving, plastic turnover material bin, hose reel, pre rinse unit, sink faucet. The factory is located in Conghua District, Guangzhou city, with the existing MELAYSI, JUN CHANG brand.

The company purchased 10 acres of industrial land by itself, with a construction area of 7000 square meters. Having long-term supply cooperation with the national engineering company and some star hotels, foreign markets are sold to the Middle East, Southeast Asia, South America. Junchang's 16 years of development has been adhering to the intention to operate enterprises, careful to do good products, sincere cooperation with friends, to do the quality and trust of China's entity manufacturing industry!

Do business with heart, make products with heart, enterprises and employees work together for common development.



History

发展历程



2011

广州展会
Guangzhou exhibition



2012

上海展会
Shanghai exhibition



2015

上海展会
Shanghai exhibition



2016

广州展会
Guangzhou exhibition



2018

广州展会
Guangzhou exhibition




上海展会
Shanghai exhibition



2019

广州展会
Guangzhou exhibition



上海展会
Shanghai exhibition

2020

广州展会
Guangzhou exhibition



2022

广州展会
Guangzhou exhibition



上海展会
Shanghai exhibition

上海展会
Shanghai exhibition



深圳展会
Shenzhen exhibition

迪拜展会
Dubai exhibition




印尼展会
Indonesia exhibition

马来西亚展会
Malaysia exhibition

2023

印度展会
India exhibition

新加坡展会
Singapore exhibition



Cooperation Customer

君畅合作客户




十六年的发展

感谢全体员工，感谢合作朋友，供应商朋友的信任支持。
多年的市场考验，我们具备团结，乐观，负责，改变的心态面对。

16 years of development

Thanks to the trust and support of all our employees, customers and suppliers. Over years of market's experience, we own a good mindset with spirit of unity, optimism, responsibility and change to face the future.



广州圣丰索菲特酒店
GUANGZHOU SOFITEL HOTEL

上海静安希尔顿酒店
SHANGHAI HILTON HOTEL

广州汇华希尔顿酒店
GUANGZHOU HILTON HOTEL

广州香格里拉酒店
GUANGZHOU SHANGRI-LA HOTEL

温州香格里拉酒店
WUNZHOU SHANGRI-LA HOTEL

三亚香格里拉酒店
SANYA SHANGRI-LA HOTEL

海口香格里拉酒店
HAIKOU SAHNGRI-LA HOTEL

上海浦东嘉里香格里拉酒店
SHANGHAI PUDONG JIALI SHANGRI-LA HOTEL

宁波香格里拉酒店
NINGBO SHANGRI-LA HOTEL

河源逸林希尔顿酒店
HE YUAN HILTON HOTEL

无锡洲际酒店
WUXI CONTINENTAL HOTEL

深圳福田香格里拉酒店
SHENZHEN SHANGRI-LA HOTEL

Qualification Certificate

君畅生产资质认证



公司持续深入健康的发展更注重企业文化精神，员工的发展。
执行实际，灵活，有责，符合自身的企业制度。
艰辛历程的创业，深知企业形象重要，激励我们做得更好！

We continued to create a more deeply and healthy development which focus on the spirit of enterprise culture,the development of employees, the implementation of the actual, flexible and responsible to make in line with its own enterprise system. Full of hard process of the entrepreneurship that make us well aware of the importance of corporate image and inspire us to do better!



Catalog

产品目录



LOVE KICHEN

| 爱厨房

01-05



Plastic Grille
Board Shelving
环保塑料层架/
垫仓架/推车

06-10



Metal Shelving
金属层架
安全笼车
红酒架

11-13



Dish Caddies/
Ice Caddies/
Flour Bin
碗碟车/储冰车
/面粉车/垃圾桶

15-20



Hose Reel
冲地龙头
龙头配件

22-32



Pre Rinse Unit /
Drainer
花洒龙头/下水器
冲地器及配件

33-68



Sink Faucet /
Pot Filler Faucet /
Sensor Faucet
双单温水槽龙头/
汤锅注水/感应龙头/
脚踏膝顶龙头

LOVE JUN CHANG

| 爱君畅

PLASTIC GRILLE BOARD SHELVING (Antibacterial)

环保塑料格栅架（抑菌款）



PLASTIC GRILLE BOARD SHELVING(Antibacterial)

环保塑料格栅架（抑菌款）

BRACKET PU CASTERS

5"插杆PU轮

活动两个活动带刹车两个，四个为一套，
附加方便周转推动
Two activities, two activities with brakes, four for one set,
attached to be convenience for turnover pushing



规格SIZE:(单位MM)


宽(W)	455-18"	530-21"	610-24"				
长(L)	760-30"	900-36"	1060-42"	1220-48"	1370-54"	1520-60"	1820-72"
高(H)	1600-63"	1800-71"					

产品型号 PRODUCT MODEL:

18"	1830GY+4T+71LP	1836GY+4T+71LP	1842GY+4T+71LP	1848GY+4T+71LP
	1854GY+4T+71LP	1860GY+4T+71LP	1872GY+4T+71LP	
21"	2130GY+4T+71LP	2136GY+4T+71LP	2142GY+4T+71LP	2148GY+4T+71LP
	2154GY+4T+71LP	2160GY+4T+71LP	2172GY+4T+71LP	
24"	2430GY+4T+71LP	2436GY+4T+71LP	2442GY+4T+71LP	2448GY+4T+71LP
	2454GY+4T+71LP	2460GY+4T+71LP	2472GY+4T+71LP	

型号注释：前2位数=宽度，后2位数=长度（英寸），GY=格栅抑菌 4T=四层（5/6T=五=六层）
71LP=1800H, 63LP=1600H

Model note: First 2-digit=Width, Second 2-digit = Length (Inches), GY=Plastic Antibacterial, 4T= 4 layers standard (5/6T=5/6 layers), 71P=1800H height standard, 63P=1600H



PLASTIC LAMINATE SHELVING (Antibacterial)

环保塑料平板架（抑菌款）



PLASTIC LAMINATE SHELVING(Antibacterial)

环保塑料平板架（抑菌款）

环保ABS/聚丙烯材料，浅灰色，拆装组合式，
可按需求调节高度，塑料平板，每层均匀摆放载重230KG。

Description: ABS / Polypropylene material, light gray. Assembled and disassembled type,
can adjust the height according to the demand. Plastic laminate shelving. Each layer can
be bearing 230KG with loading evenly.

规格SIZE:(单位MM)

宽(W)	455-18"	530-21"	610-24"				
长(L)	760-30"	900-36"	1060-42"	1220-48"	1370-54"	1520-60"	1820-72"
高(H)	1600-63"	1800-71"					

产品型号 PRODUCT MODEL:

18"	1830EY+4T+71LP	1836EY+4T+71LP	1842EY+4T+71LP	1848EY+4T+71LP
	1854EY+4T+71LP	1860EY+4T+71LP	1872EY+4T+71LP	
21"	2130EY+4T+71LP	2136EY+4T+71LP	2142EY+4T+71LP	2148EY+4T+71LP
	2154EY+4T+71LP	2160EY+4T+71LP	2172EY+4T+71LP	
24"	2430EY+4T+71LP	2436EY+4T+71LP	2442EY+4T+71LP	2448EY+4T+71LP
	2454EY+4T+71LP	2460EY+4T+71LP	2472EY+4T+71LP	


型号注释：前2位数=宽度，后2位数=长度（英寸），EY=平板抑菌，4T=四层标配（5/6T五层六层），
71LP=1800H, 63LP=1600H

Model note: First 2-digit=Width, Second 2-digit = Length (Inches), EY=Plastic Antibacterial, 4T= 4 layers standard (5/6T=5/6 layers), 71P=1800H height standard, 63P=1600H



PLASTIC GRILLE BOARD SHELVING

环保塑料格栅架



PLASTIC GRILLE BOARD SHELVING 环保塑料格栅架

规格SIZE:(单位MM)

宽(W)	455-18"	530-21"	610-24"				
长(L)	760-30"	900-36"	1060-42"	1220-48"	1370-54"	1520-60"	1820-72"
高(H)	1600-63"	1800-71"					

产品型号 PRODUCT MODEL:

18"	1830JSL+4T+71LP	1836JSL+4T+71LP	1842JSL+4T+71LP	1848JSL+4T+71LP
	1854JSL+4T+71LP	1860JSL+4T+71LP	1872JSL+4T+71LP	
21"	2154JSL+4T+71LP	2160JSL+4T+71LP	2172JSL+4T+71LP	2130JSL+4T+71LP
	2136JSL+4T+71LP	2142JSL+4T+71LP	2148JSL+4T+71LP	
24"	2454JSL+4T+71LP	2460JSL+4T+71LP	2472JSL+4T+71LP	2430JSL+4T+71LP
	2430JSL+4T+71LP	2436JSL+4T+71LP	2442JSL+4T+71LP	2448JSL+4T+71LP

型号注释: 前2位数=宽度, 后2位数=长度(英寸), JSL=塑料格栅板 4T=四层(5/6T=五=六层)
71LP=1800H, 63LP=1600H

Model note: First 2-digit=Width, Second 2-digit=Length (Inches), JSL=Plastic grille board, 4T= 4 layers standard (5/6T=5/6 layers), 71P=1800H height standard, 63P=1600H

PLASTIC LAMINATE SHELVING

环保塑料平板架



PLASTIC LAMINATE SHELVING 环保塑料层板架

环保ABS/聚丙烯材料, 浅灰色, 拆装组合式,
可按需求调节高度, 塑料平板, 每层均匀摆放载重230KG。

Description: ABS / Polypropylene material, light gray. Assembled and disassembled type, can adjust the height according to the demand. Plastic laminate shelving. Each layer can be bearing 230KG with loading evenly.

规格SIZE:(单位MM)

宽(W)	455-18"	530-21"	610-24"				
长(L)	760-30"	900-36"	1060-42"	1220-48"	1370-54"	1520-60"	1820-72"
高(H)	1600-63"	1800-71"					

产品型号 PRODUCT MODEL:

18"	1830JSE+4T+71LP	1836JSE+4T+71LP	1842JSE+4T+71LP	1848JSE+4T+71LP
	1854JSE+4T+71LP	1860JSE+4T+71LP	1872JSE+4T+71LP	
21"	2130JSE+4T+71LP	2136JSE+4T+71LP	2142JSE+4T+71LP	2148JSE+4T+71LP
	2154JSE+4T+71LP	2160JSE+4T+71LP	2172JSE+4T+71LP	
24"	2430JSE+4T+71LP	2436JSE+4T+71LP	2442JSE+4T+71LP	2448JSE+4T+71LP
	2454JSE+4T+71LP	2460JSE+4T+71LP	2472JSE+4T+71LP	

型号注释: 前2位数=宽度, 后2位数=长度(英寸), JSE=塑料平板架, 4T=四层标配(5/6T五层六层),
71LP=1800H, 63LP=1600H

Model note: First 2-digit=Width, Second 2-digit=Length (Inches), JSE=Plastic laminate, 4T= 4 layers standard (5/6T=5/6 layers), 71P=1800H height standard, 63P=1600H

BRACKET PU CASTERS 5"插杆PU轮

活动两个活动带刹车两个, 四个为一套,
附加方便周转推动
Two activities, two activities with brakes, four for one set,
attached to be convenience for turnover pushing



Dunnage Rack

垫仓架

产品说明 PRODUCT DESCRIPTION

环保ABS/PP聚丙烯材料，浅灰色，平均载重300KG。
ABS/PP polypropylene material, light gray. Average loading 300KG.

型号/规格SIZE:(单位MM)

型号JC-2430	W610*L760*H300	型号JC-2436	W610*L910*H300
型号JC-2448	W610*L1220*H300	型号JC-2460	W610*L1525*H300



Dunnage Rack
垫仓架



Double Layer Plastic Trolley
两层推车

规格SIZE:(单位MM)



型号2130TSL	W530*L760*H900/1000
型号2136TSL	W530*L910*H900/1000
型号2430TSL	W610*L760*H900/1000
型号2436TSL	W610*L910*H900/1000

METAL SHELVING

金属层架

METAL LAMINATE SHELVING

金属层板架

板厚1.0, 支柱厚度1.2mm, 每层平均承重300KG, 可选择304#或201#材料。

Plate thickness is 1.0mm, the post thickness is 1.2mm.
Each layer can be loaded 300KG. Materials are available in 304# or 201# stainless steel.




型号/规格 SIZE/MODEL:


18"	1824JSB+4T+71BP	1830JSB+4T+71BP	1836JSB+4T+71BP	1842JSB+4T+71BP	1848JSB+4T+71BP	854JSB+4T+71BP	860JSB+4T+71BP	1872JSB+4T+71BP
21"	2124JSB+4T+71BP	2130JSB+4T+71BP	2136JSB+4T+71BP	2142JSB+4T+71BP	2148JSB+4T+71BP	2154JSB+4T+71BP	2160JSB+4T+71BP	2172JSB+4T+71BP
24"	2424JSB+4T+71BP	2430JSB+4T+71BP	2436JSB+4T+71BP	2442JSB+4T+71BP	2448JSB+4T+71BP	2454JSB+4T+71BP	2460JSB+4T+71BP	2472JSB+4T+71BP
宽W	355-14"	455-18"	530-21"	610-24"				
长L	610-24"	760-30"	910-36"	1060-42"	1220-48"	1370-54"	1525-60"	1825-72"
高H	810-32"	1370-54"	1600-63"	1800-71"				

型号注释: 前2位数=宽度, 后2位数=长度(英寸), 4T=四层(5/6T=五/六层), 71BP=1800H支柱, 63BP=1600H支柱。
Model note: First 2-digit=Width, Second 2-digit=Length (Inches), 4T= 4 layers(5/6T=5/6 layers), 71BP=1800H height, 63P=1600H height


配件系列 ACCESSORIES SERIES




ACC-JC01
固定地面螺丝
FOOT PLATES




ACC-JC02
黑色夹片
REPLACEMENT PLASTIC BLACK SPLIT SLEEVE




ACC-JC03
单边32MM围栏
SINGLE-SIDED SNAKE FRAME (32MM)




ACC-JC04
三边32MM围栏
THREE EDGE SNAKE FRAME (32MM)




ACC-JC05
S形网片连接钩
SECURITY "S" HOOK




ACC-JC06
单边150MM围栏
SINGLE-SIDED SNAKE FRAME (160MM)




ACC-JC07
分隔网
SHELF DIVIDERS



ACC-JC08
把手
EXTENDED HANDLE



ACC-JC09
扶手
HANDRAIL



ACC-JC10
柱扣
POST CLAMPS


METAL SHELVING

金属层架



METAL SHELVING

金属层架



产品说明 PRODUCT DESCRIPTION

产品说明：材料201/304#不锈钢，灰色/墨绿/蓝色/黑色喷涂，镀铬为碳钢材料线网结构，拆装式，每层均匀摆放载重180KG。

The model of JSW is the material for #201/#304 stainless steel. The model of JEW is the Painted one, can be coated grey, dark green, blue and black color finished. The JCW model is the chromed plated one.

The main line dia. 6mm, strengthen line dia. 5.0mm, wave line dia. 4.0mm, guide line dia. 3.0mm. The post dia. is 25.4mm, thickness is 1.2mm and the shelving can be easily disassembled. Each layer can be adjusted the height.

JC-2008

5 INCHES BRACKET WITH MOVEABLE WHEELS

5"插杆活动轮 (PU)


两活动/两刹车/4个防撞胶/一套。
可附加，方便推动。



304#型号 4-Tier Wire Shelving Set (标配四层) Stainless Steel Model 4-Tier Wire Shelving Set	14"	1424JSW3+4T+71SSP	1430JSW3+4T+71SSP	1436JSW3+4T+71SSP	1442JSW3+4T+71SSP	1448JSW3+4T+71SSP	1454JSW3+4T+71SSP	1460JSW3+4T+71SSP	1472JSW3+4T+71SSP
	18"	1824JSW3+4T+71SSP	1830JSW3+4T+71SSP	1836JSW3+4T+71SSP	1842JSW3+4T+71SSP	1848JSW3+4T+71SSP	1854JSW3+4T+71SSP	1860JSW3+4T+71SSP	1872JSW3+4T+71SSP
	21"	2124JSW3+4T+71SSP	2130JSW3+4T+71SSP	2136JSW3+4T+71SSP	2142JSW3+4T+71SSP	2148JSW3+4T+71SSP	2154JSW3+4T+71SSP	2160JSW3+4T+71SSP	2172JSW3+4T+71SSP
	24"	2424JSW3+4T+71SSP	2430JSW3+4T+71SSP	2436JSW3+4T+71SSP	2442JSW3+4T+71SSP	2448JSW3+4T+71SSP	2454JSW3+4T+71SSP	2460JSW3+4T+71SSP	2472JSW3+4T+71SSP
201#型号 4-Tier Wire Shelving Set (标配四层) Stainless Steel Model 4-Tier Wire Shelving Set	14"	1424JSW2+4T+71SP	1430JSW2+4T+71SP	1436JSW2+4T+71SP	1442JSW2+4T+71SP	1448JSW2+4T+71SP	1454JSW2+4T+71SP	1460JSW2+4T+71SP	1472JSW2+4T+71SP
	18"	1824JSW2+4T+71SP	1830JSW2+4T+71SP	1836JSW2+4T+71SP	1842JSW2+4T+71SP	1848JSW2+4T+71SP	1854JSW2+4T+71SP	1860JSW2+4T+71SP	1872JSW2+4T+71SP
	21"	2124JSW2+4T+71SP	2130JSW2+4T+71SP	2136JSW2+4T+71SP	2142JSW2+4T+71SP	2148JSW2+4T+71SP	2154JSW2+4T+71SP	2160JSW2+4T+71SP	2172JSW2+4T+71SP
	24"	2424JSW2+4T+71SP	2430JSW2+4T+71SP	2436JSW2+4T+71SP	2442JSW2+4T+71SP	2448JSW2+4T+71SP	2454JSW2+4T+71SP	2460JSW2+4T+71SP	2472JSW2+4T+71SP
型号/材料: MODEL/MATERIAL 镀铬型号 (标配四层) Chrome Plated Model	14"	1424JCW+4T+71CP	1430JCW+4T+71CP	1436JCW+4T+71CP	1442JCW+4T+71CP	1448JCW+4T+71CP	1454JCW+4T+71CP	1460JCW+4T+71CP	1472JCW+4T+71CP
	18"	1824JCW+4T+71CP	1830JCW+4T+71CP	1836JCW+4T+71CP	1842JCW+4T+71CP	1848JCW+4T+71CP	1854JCW+4T+71CP	1860JCW+4T+71CP	1872JCW+4T+71CP
	21"	2124JCW+4T+71CP	2130JCW+4T+71CP	2136JCW+4T+71CP	2142JCW+4T+71CP	2148JCW+4T+71CP	2154JCW+4T+71CP	2160JCW+4T+71CP	2172JCW+4T+71CP
	24"	2424JCW+4T+71CP	2430JCW+4T+71CP	2436JCW+4T+71CP	2442JCW+4T+71CP	2448JCW+4T+71CP	2454JCW+4T+71CP	2460JCW+4T+71CP	2472JCW+4T+71CP
喷涂型号 (标配四层) Epoxy Coated Model 4-Tier Wire Shelving Set	14"	1424JEW+4T+71EP	1430JEW+4T+71EP	1436JEW+4T+71EP	1442JEW+4T+71EP	1448JEW+4T+71EP	1454JEW+4T+71EP	1460JEW+4T+71EP	1472JEW+4T+71EP
	18"	1824JEW+4T+71EP	1830JEW+4T+71EP	1836JEW+4T+71EP	1842JEW+4T+71EP	1848JEW+4T+71EP	1854JEW+4T+71EP	1860JEW+4T+71EP	1872JEW+4T+71EP
	21"	2124JEW+4T+71EP	2130JEW+4T+71EP	2136JEW+4T+71EP	2142JEW+4T+71EP	2148JEW+4T+71EP	2154JEW+4T+71EP	2160JEW+4T+71EP	2172JEW+4T+71EP
	24"	2424JEW+4T+71EP	2430JEW+4T+71EP	2436JEW+4T+71EP	2442JEW+4T+71EP	2448JEW+4T+71EP	2454JEW+4T+71EP	2460JEW+4T+71EP	2472JEW+4T+71EP
规格: SPECIFICATION	宽W	355-14"	455-18"	530-21"	610-24"				
	长L	610-24"	760-30"	910-36"	1060-42"	1220-48"	1370-54"	1525-60"	1825-72"
	高H	810-32"	1370-54"	1600-63"	1800-71"				

型号注释：前2位数=宽度，后2位数=长度（英寸），4T=四层（5/6T=五/六层），71=1800H支柱，63=1600H支柱。
Model note: First 2-digit=Width, Second 2-digit = Length (inches), 4T = 4 layers(5/6T=5/6 layers), 71P=1800H height, 63P=1600H height

METAL PLATE RACK DISHWASHER TRAY TROLLY 金属碟车杯筐车



JC-016A
Mobile plate rack for 80 plates(Green epoxy plating)
金属碟车 尺寸: 600*610*1610H



JC-016
Mobile plate rack for 80 plates(Stainless steel)
金属碟车 (304#/201#材料) 尺寸: 600*610*1610H



JC-017
Dishwasher Tray Trolley
(with handle)
杯筐车 (带把手)



材料: PE底座;304#把手
规格: 530x530x920H(含把手高度)

JC-017-B
Dishwasher Tray Trolley
(no handle)
杯筐车 (无把手)



材料: PE底座
规格: 530x530x180H

RED WINE STORAGE SHELving / MOBILE SECURITY CAGE RACK

红酒架 / 笼车



JC-009
COMBINATED RED WIRE SHELving
红酒组合架(304#/201#材料)



规格SIZE:(单位MM)


宽(W)	350	
长(L)	910-36" (1层9支)	1220-48" (1层12支)
高(H)	1800-60"	1800-71"

JC-010
SECURITY CAGE
安全笼车(304#/201#材料)



规格SIZE:(单位MM)

宽(W)	530	610
长(L)	1220	1525
高(H)	1600(食轮)	1780(食轮)



PLASTIC STORAGE AND
TURNOVER PRODUCTS
塑料储放周转制品



ICE CADDIES

储冰车(PE)

规格SIZE: (MM)

型号MODEL	长(L)	宽(W)	高(H)
JC-110L	800	585	745

PLASTIC STORAGE AND
TURNOVER PRODUCTS
塑料储放周转制品



DISH CADDIES

叠碟车(PE)

规格SIZE: (MM)

型号MODEL	长(L)	宽(W)	高(H)
JC-ADC1 (小号)	900	720	800
JC-ADC2 (中号)	930	720	800
JC-ADC3 (大号)	1090	720	800



INSULATION CAR

双层保温车(PE)

规格SIZE: (MM)

型号MODEL	长(L)	宽(W)	高(H)
JC-PE09	660	470	1360



TABLEWARE SERVICE CAR

托盘服务车(PE)

规格SIZE: (MM)

型号MODEL	长(L)	宽(W)	高(H)
JC-PE10	820	540	1160

PLASTIC STORAGE AND TURNOVER PRODUCTS 塑料储放周转制品

MOBILE MATERIAL BIN
物料车 (PE+PP)



规格SIZE: (MM)

型号MODEL	长(L)	宽(W)	高(H)
LB-J98	743	395	711
LB-J79	743	333	711

THREE LAYERS PLASTIC TROLLEY
三层推车(PE)



规格SIZE: (MM)

型号MODEL	长(L)	宽(W)	高(H)
JC-SED	1000	500	920

MOBILE WASTE BIN
圆形活动垃圾车(PE)



规格SIZE: (MM)

型号MODEL	底直径	顶直径	高(H)
JC-CR80L	400	560	750
JC-CR120L	480	660	820

SQUARE FOOT PEDAL WASTE BIN(PE) GRAY
方形脚踏垃圾桶(PE)



规格SIZE: (MM)

型号MODEL	长(L)	宽(W)	高(H)
JC-CRF30L	410	390	430
JC-CRF68L	500	410	670
JC-CRF87L	500	410	820

Junchang Is Designed To Save Space

HOSE REEL
高压冲洗地龙头

爱厨房，爱君畅
Love Kitchen Love Jun Chang



Stretchable
可拉伸



Save Space
省空间



Durable
很耐用

LB-1181S-18 LB-1181S-15
LB-1181S-18T LB-1181S-15T

STAINLESS STEEL SQUARE
ENCLOSED TYPE
304#不锈钢方形封闭款




产品说明 PRODUCT DESCRIPTION

T=双温止回阀, 18=十八米管, 15=十五米管, 10=十米管。自带摇摆支架70度两边摆动或不摆动功能。连接水枪采用304活动旋转接头, 水枪可360度活动灵活冲洗。

T= double temperature check valve, 18= 18 meter hose, 15= 15 meter hose, 10= 10 meter hose. Equipped with swing bracket with 70 degrees of swing or no swing function. The connected water gun adopts 304 movable rotary joint, and the water gun can be flexibly washed with 360 degree movement.

LB-1181S-10
LB-1181S-10T

STAINLESS STEEL SQUARE
ENCLOSED TYPE
304#不锈钢方形封闭款




产品说明 PRODUCT DESCRIPTION

T=双温止回阀, 13=十三米管, 10=十米管。自带摇摆支架70度两边摆动或不摆动功能。连接水枪采用304活动旋转接头, 水枪可360度活动灵活冲洗。

T= double temperature check valve, 13=13 meter hose, 10=10 meter hose. Equipped with swing bracket with 70 degrees of swing or no swing function. The connected water gun adopts 304 movable rotary joint, and the water gun can be flexibly washed with 360 degree movement.


LB-225A-18 LB-225A-15
LB-225A-18T LB-225A-15T

EPOXY COATED SQUARE
ENCLOSED TYPE
喷涂方形封闭款




LB-118A-13 JC-1180D-10
LB-118A-13T JC-1180D-10T

EPOXY COATED SQUARE
ENCLOSED TYPE
喷涂方形封闭款



JC-1181S-18 JC-1181S-15
JC-1181S-18T JC-1181S-15T
JC-1181S-18Y JC-1181S-15Y
JC-1181S-18T+Y JC-1181S-15T+Y

STAINLESS STEEL
ROUND OPEN TYPE
304#圆形敞开款




产品说明 PRODUCT DESCRIPTION

T=双温止回阀, 18=十八米管, 15=十五米管, 10=十米管, Y=摇摆支架70度两边摆动或不摆动。连接水枪采用304活动旋转接头, 水枪可360度活动灵活冲洗。

T= double temperature check valve, 18= 18 meter hose, 15= 15 meter hose, 10= 10 meter hose. Y=Equipped with swing bracket with 70 degrees of swing or no swing function. The connected water gun adopts 304 movable rotary joint, and the water gun can be flexibly washed with 360 degree movement.

JC-1181S-10
JC-1181S-10T
JC-1181S-10Y
JC-1181S-10T+Y

STAINLESS STEEL ROUND
OPEN TYPE
304#圆形敞开款




产品说明 PRODUCT DESCRIPTION

T=双温止回阀, 18=十八米管, 15=十五米管, 10=十米管, Y=摇摆支架70度两边摆动或不摆动。连接水枪采用304活动旋转接头, 水枪可360度活动灵活冲洗。

T= double temperature check valve, 18= 18 meter hose, 15= 15 meter hose, 10= 10 meter hose. Y=Equipped with swing bracket with 70 degrees of swing or no swing function. The connected water gun adopts 304 movable rotary joint, and the water gun can be flexibly washed with 360 degree movement.


LB-2255G-10
LB-2255G-10T
LB-2255G-10Y
LB-2255G-10T+Y

STAINLESS STEEL ROUND
ENCLOSED TYPE
304#圆形封闭款



JC-1120SG-18 JC-1120SG-15
JC-1120SG-18T JC-1120SG-15T
JC-1120SG-18Y JC-1120SG-15Y
JC-1120SG-18T+Y JC-1120SG-15T+Y

EPOXY COATED ROUND OPEN TYPE
碳钢圆形敞开款



JC-1150F-10
JC-1150F-10T
JC-1150F-10Y
JC-1150F-10T+Y

EPOXY COATED ROUND
OPEN TYPE
喷涂圆形敞开款




产品说明 PRODUCT DESCRIPTION

T=双温止回阀, 10=十米管, Y=摇摆支架70度两边摆动或不摆动。连接水枪采用304活动旋转接头, 水枪可360度活动灵活冲洗。

T= double temperature check valve, 10= 10 meter hose, Y=Equipped with swing bracket with 70 degrees of swing or no swing function. The connected water gun adopts 304 movable rotary joint, and the water gun can be flexibly washed with 360 degree movement.

JC-1155E-10
JC-1155E-10T
JC-1155E-10Y
JC-1155E-10T+Y

EPOXY COATED ROUND
OPEN TYPE
喷涂圆形敞开款



HOSE REEL ACCESSORIES

冲地龙头配件



LB-100

Water Gun
冲地龙头水枪



JC-2

Temperature control
check valve
调温止回阀



LB-109-B

Swing bracket
摆动架15-20M用



JC-101

Water gun hook
水枪挂钩



LB-107

6 to 4 joint
6转4接头



LB-107

6 to 4 joint
6转4接头



LB-106

Brass nipple
and seal ring
铜奶嘴与密封圈



LB-110

Hose Reel Water
Inlet Body
冲地龙头进水主件



LB-104

Faucet stainless steel shaft
冲地龙头不锈钢轴



LB-115

ABS quick-connect joint
进水快速接头



LB-116

Hydraulic Hose
Blue / Black /
Dark Green
钢丝编织液压管
蓝色、黑色、墨绿色



LB-105

Hose Reel Shrapnel
冲地龙头弹片

PRE-RINSE UNIT





www.powerthis.net

爱厨房 爱君畅 **君畅 JUNCHANG**
Love Kitchen Love JunChang


LB-128A

台式双温
Desk-mounted double temperature




LB-128

台式双温
Desk-mounted double temperature




LB-138A

入墙双温
Wall-mounted double temperature




JC-188A-B

台式双温
Desk-mounted double temperature




LB-138

入墙双温
Wall-mounted double temperature




JC-188A


台式双温
Desk-mounted double temperature




JC-300A-C
台式双温
Desk-mounted double temperature




JC-300B-A
台式双温
Desk-mounted double temperature



JC-300A
台式双温
Desk-mounted double temperature




JC-300B
台式双温
Desk-mounted double temperature



LB-400A

台式双温
高度较低使用


Desk-mounted double temperature
Lower height for use



JC-200A-B

台式单温


Desk-mounted single temperature



JC-400

台式双温
高度较低使用

Desk-mounted double temperature
Lower height for use



JC-200A

台式单温

Desk-mounted single temperature

Flush Tap for Rubbish Bin / Universal Oven Flusher

垃圾桶冲洗花洒/万能烤箱冲洗器



LB-0360

入墙双温


Wall-mounted double temperature

进水内牙2-G1/2

JC-1160

万能烤箱冲洗器

Universal Oven Flusher



拉出1.33M

PRE RINSE UNIT ACCESSORIES

花洒龙头配件



JC01
Spray Valve
花洒喷头



JC02
Spray Valve
花洒喷头



JC03
Spray Nozzle
雾化喷头



JC10
12" Swing nozzle
摇摆龙头12"



JC11
4" Swing nozzle
摇摆龙头4"



JC20
Riser Pipe (500mm)
直管500mm



JC21
Riser Pipe (150mm)
直管150mm



JC23
12" Wall bracket
12" 固定杆



JC24
6" Wall bracket
6" 固定杆



JC05
Stainless steel hose
(470mm)
软管470MM



JC06
Stainless steel hose
(900mm)
软管900mm



JC12
Screws
双头螺杆



JC07
Washer
双头螺杆垫圈



JC18
Faucet valve with
brass suit
手柄开关带铜套



JC19
JC-188A Water inlet
JC-188A主体



JC14
Brass base
黄铜底座



JC25
Hooker
挂钩



JC08
Spring
强力弹簧



JC09
Spring
强力弹簧



JC15
Nuts
固定台面螺母



JC16
Seat washer
底座密封圈



JC22
Nuts for hose
软管螺母



JC26
Metal Ring
金属圈

爱厨房 爱君畅
Love Kichen Love JunChang



Junchang Is Designed To Save Space


WASTE VALVE

曲棍摇柄去水器

LB-1010

帶溢水


With overflow function



LB-1020

无溢水

No overflow function




CORNER DRAINER

角位去水器


JC-350A

304#钢板及下水管
黄铜主体下水器
304# Steel plate and drain pipe
Brass body drainer



JC-250B

304#钢板及下水管,
黄铜主体下水器
304# Steel plate and drain pipe
Brass body drainer




BRASS DRAINER

提盖去水器

LB-2020-B

提盖去水器
Brass Drainer



LB-2020-A

双头去水器
配优质PVC管
Double Drainer
With high quality PVC pipe



LB-2020-C

单头去水器
配优质PVC管
Single Drainer
With high quality PVC pipe




POT FILLER FAUCET

汤锅注水龙头

LB-350


入墙双温
Wall-mounted double temperature



JC-1002

主体黄铜，铜螺杆阀芯，合金手柄
水嘴可旋转控制流量，不锈钢管0.8mm
配置G1/2进水铜螺杆


Brass body, copper screw cartridge, alloy handle
Spray nozzle can be rotated to control the rate of flow,
stainless steel pipe 0.8mm
With G 1/2 copper screw Inlet



LB-1120

主体黄铜，铜螺杆阀芯，合金手柄
配置G1/2进水铜螺杆，不锈钢管0.8mm

Brass body, screw cartridge, alloy handle
G 1/2 Inlet copper screw, stainless steel pipe 0.8mm




POT FILLER FAUCET

汤锅注水龙头


LB-205

单温，主体黄铜，铜螺杆阀芯，合金手柄
水嘴可旋转控制流量，不锈钢管0.8mm
Single temperature, brass body, copper screw
cartridge, alloy handle
Spray nozzle can be rotated to control the rate of
flow, stainless steel pipe 0.8mm



LB-206

入墙单温，主体黄铜，铜螺杆阀芯，合金手柄
水嘴可旋转控制流量，不锈钢管0.8mm
Wall-mounted single temperature, brass body, copper
screw cartridge, alloy handle.
Spray nozzle can be rotated to control the rate of flow,
stainless steel pipe 0.8mm.




STAINLESS STEEL EYEWASH SERVICE SINK FAUCET

不锈钢洗眼器/拖把池龙头


JC-1040

不锈钢洗眼器
Stainless Steel Eyewash



JC-025

拖把池龙头
黄铜螺杆阀芯
带固定杆，水嘴顶部有挂钩
Service Sink Faucet
Screw cartridge
With wall bracket and hook on top of nozzle



CUP WASHING FLUSHER /DIPPERWELL FAUCET




洗杯器/流水井龙头

JC-1205

洗杯器

304不锈钢主体，全铜喷头

CupWashingFlusher
304stainlesssteelbody,allcoppernozzle



WATER STATION FAUCET


推杯龙头

JC-1203

加水站推杯龙头

开孔22mm安装1/2"进水

Water Station Faucet
Open hole 22mm, install 1/2" water inlet




JC-203

注水桶龙头

旋转出水，不锈钢桶


Dipperwell faucet and dipperwell bowl
Press then water out, stainless steel bowl



JC-1203-B

台式加水站

Water Station with Faucet





爱厨房 爱君畅
Love Kichen Love JunChang




Junchang Is Designed To Save Space

SENSOR FAUCET 感应龙头

LB-8185-C
混合电
AC and DC mixture power



LB-8285-C
混合电
AC and DC mixture power





LB-8190

直流电
内置双温调节开关
附带具有止回功能的软管

DC power
Built-in double temperature adjustment
switch. Attached the flexible hose with
check function

混合电源盒

AC/DC mixture power




JC-2

双温止回阀
单温使用不附加，双温使用时附加
整体黄铜，含滤网
Mixing Temperature check valve.
Whole body is brass including strainer

JC-8300


混合电
AC and DC mixture power



JC-8095

感应皂液器
Sensor Soap Dispenser

4节AA 1.5V电池/插电混合使用
容量:900ml
每次感应量: 1ml
材料:ABS/AS
4 AA 1.5V batteries/plug-in hybrid use
CAPACITY:900ml
DROP VOLUME:1ml
MATERIAL:ABS/AS




DOUBLE HANDLE DOUBLE TEMPERATURE FAUCET

双柄双温龙头(8寸主体)

LB-A08-10 LB-A08-12


10=10寸管长/12=12寸管长
主体黄铜, 黄铜陶瓷阀芯, 锌合金
手柄, 不锈钢管厚0.8mm。
10= 10" pipe length / 12= 12" pipe length
Brass body, brass ceramic cartridge alloy handle,
stainless steel pipe thickness 0.8mm



LB-H08-10 LB-H08-12

10=10寸管长/12=12寸管长
主体黄铜, 黄铜陶瓷阀芯, 合金手柄
不锈钢盖, 不锈钢管0.8mm


10= 10" pipe length / 12= 12" pipe length
Brass body, copper brass ceramic
cartridge
Alloy handle, stainless steel cover and
stainless steel pipe 0.8mm.



LB-C08-10 LB-C08-12

10=10寸管长/12=12寸管长
主体黄铜, 黄铜陶瓷阀芯, 合金手柄
不锈钢管0.8mm


10= 10" pipe length / 12= 12" pipe length
Brass body, copper brass ceramic cartridge
Alloy handle, stainless steel pipe 0.8mm.



LB-1012-10 LB-1012-12


10=10寸管长/12=12寸管长
主体黄铜, 铜螺杆阀芯
合金手柄, 不锈钢管
管径18mm厚0.8mm

10= 10" pipe length / 12= 12" pipe length
Brass body, copper screw cartridge
Alloy handle, stainless steel pipe
Pipe-diameter is 18mm and the
thickness is 0.8mm



DOUBLE HANDLE DOUBLE TEMPERATURE FAUCET

双柄双温龙头(4寸主体)



LB-A04-10
LB-A04-12


10=10寸管长/12=12寸管长
主体黄铜, 黄铜陶瓷阀芯
合金手柄, 不锈钢管
管径18mm厚0.8mm

10= 10" pipe length / 12= 12" pipe length
Brass body, brass ceramic cartridge
Alloy handle, stainless steel pipe,
pipe-diameter is 18mm and the thickness is
0.8mm

LB-1013-10
LB-1013-12

10=10寸管长/12=12寸管长
主体黄铜, 铜螺杆阀芯
合金手柄, 不锈钢管
管径18mm厚0.8mm


10= 10" pipe length / 12= 12" pipe length
Brass body, copper screw cartridge
Alloy handle, stainless steel pipe
Pipe-diameter is 18mm and the thickness is
0.8mm



LB-C04-10
LB-C04-12

10=10寸管长/12=12寸管长
主体黄铜, 黄铜陶瓷阀芯
合金手柄, 不锈钢管
管径18mm厚0.8mm


10= 10" pipe length / 12= 12" pipe length
Brass body, brass ceramic cartridge
Alloy handle, stainless steel pipe, pipe-
diameter is 18mm and the thickness is
0.8mm



LB-001B-10
LB-001B-12


10=10寸管长/12=12寸管长
主体黄铜, 铜螺杆阀芯, 合金手柄
不锈钢盖, 不锈钢管0.8mm

10= 10" pipe length / 12= 12" pipe length
Brass body, copper screw cartridge
Alloy handle, stainless steel cover and
stainless steel pipe 0.8mm.



DOUBLE HANDLE DOUBLE TEMPERATURE FAUCET

双柄双温龙头(8寸主体)



LB-A08-E


主体黄铜, 黄铜陶瓷阀芯, 锌合金
手柄, 不锈钢管厚0.8mm。

Brass body, brass ceramic cartridge
alloy handle, stainless steel pipe
thickness 0.8mm

LB-C08-E

主体黄铜, 黄铜陶瓷阀芯, 锌合金
手柄, 不锈钢管厚1.0mm。


Brass body, brass ceramic cartridge alloy
handle, stainless steel pipe thickness 1.0mm



LB-H08-E

主体黄铜, 黄铜陶瓷阀芯, 合金手柄
不锈钢管0.8mm


Brass body, copper brass ceramic cartridge
Alloy handle, stainless steel cover and pipe
0.8mm.



LB-001-E

主体黄铜, 铜螺杆阀芯, 合金手柄
不锈钢盖, 不锈钢管0.8mm

Brass body, copper screw cartridge
Alloy handle, stainless steel cover and
stainless steel pipe 0.8mm.




DOUBLE HANDLE DOUBLE TEMPERATURE FAUCET

双柄双温龙头(4寸主体)

LB-A04-E

主体黄铜，黄铜陶瓷阀芯
合金手柄，不锈钢管
管径18mm厚0.8mm


Brass body, brass ceramic cartridge
Alloy handle, stainless steel pipe, pipe-
diameter is 18mm and the thickness is 0.8mm



LB-1013-E

主体黄铜，黄铜螺杆阀芯
合金手柄，不锈钢管
管径18mm厚0.8mm


Brass body, brass ceramic cartridge
Alloy handle, stainless steel pipe, pipe-
diameter is 18mm and the thickness is 0.8mm



LB-C04-E

主体黄铜，黄铜陶瓷阀芯
合金手柄，不锈钢管
管径18mm厚0.8mm


Brass body, brass ceramic cartridge
Alloy handle, stainless steel pipe, pipe-
diameter is 18mm and the thickness is 0.8mm



LB-001B-E

主体黄铜，黄铜螺杆阀芯
合金手柄，不锈钢管
管径18mm厚0.8mm

Brass body, brass ceramic cartridge
Alloy handle, stainless steel pipe, pipe-
diameter is 18mm and the thickness is 0.8mm




DOUBLE HANDLE DOUBLE TEMPERATURE FAUCET

双柄双温龙头(6寸主体)

LB-006-10
LB-006-12

10=10寸管长/12=12寸管长
主体黄铜, 黄铜陶瓷阀芯
合金手柄, 不锈钢管
管径18mm厚0.8mm


10= 10" pipe length / 12= 12" pipe length
Brass body, brass ceramic cartridge
Alloy handle, stainless steel pipe
Pipe-diameter is 18mm and the
thickness is 0.8mm



LB-006-E

主体黄铜, 黄铜陶瓷阀芯
合金手柄, 不锈钢管
管径18mm厚0.8mm

Brass body, brass ceramic cartridge
Alloy handle, stainless steel pipe
Pipe-diameter is 18mm and the
thickness is 0.8mm



Junchang Is Designed To Save Space

爱厨房 爱君畅
Love Kitchen Love JunChang




SINGLE HANDLE DOUBLE TEMPERATURE FAUCET

单柄双温龙头

LB-005

主体黄铜，黄铜陶瓷阀芯
锌合金手柄，不锈钢水管


Brass body, brass ceramic cartridge
Alloy handle, stainless steel pipe,



JC-1221

单孔双温，主体黄铜，塑料35#陶瓷阀芯
合金手柄，不锈钢管1.0mm


Single hole, double temperature, brass
body, plastic 35# ceramic cartridge
Alloy handle, stainless steel pipe 1.0mm



LB-1033

抽拉式单孔双温，塑料陶瓷40#阀芯
主体黄铜，合金手柄，不锈钢管1.0mm
喷头顶部开关控制花洒与水龙头出水


Pulling type, single hole, double temperature,
plastic 40# ceramic cartridge.
Brass body, alloy handle, stainless steel pipe
1.0mm.
The switch at the top of spray controls shower
and faucet outlet.



LB-1035

主体黄铜，黄铜陶瓷阀芯
合金手柄，不锈钢管0.8mm


Brass body, brass ceramic cartridge
Alloy handle, stainless steel pipe 0.8mm



LB-1032

单孔双温，主体黄铜，塑料35#陶瓷阀芯
合金手柄，不锈钢管1.0mm
水管可360度旋转


Single hole, double temperature, brass body,
plastic 35# ceramic cartridge
Alloy handle, stainless steel pipe 1.0mm
The pipe can be 360° rotation.



JC-1031

单孔双温，主体黄铜，塑料35#陶瓷阀芯
合金手柄，不锈钢管1.0mm
水管可360度旋转

Single hole, double temperature, brass
body, plastic 35# ceramic cartridge
Alloy handle, stainless steel pipe 1.0mm
The pipe can be 360° rotation.



JC-01

微型冲洗器
可选择与JC-1031搭配使用
Miniature Flusher
Can choose to use with JC-1031



Junchang Is Designed To Save Space



Stretchable

可拉伸



Save Space

省空间



Durable


很耐用

爱厨房，爱君畅

Love Kitchen Love Jun Chang

SINGLE HANDLE SINGLE TEMPERATURE FAUCET

单柄单温龙头




JC-1025

单温，主体黄铜，黄铜陶瓷阀芯
不锈钢水管，厚1.0mm，有钢片固定
台面防松动
Single temperature, brass body, brass ceramic
cartridge
Stainless steel pipe, the thickness is 1.0mm, There are
steel plate fixed the table board, prevent loosening.

JC-1023


单温，主体黄铜，黄铜陶瓷阀芯
不锈钢水管，厚1.0mm，有钢片固定台面防松动

Single temperature, brass body, brass ceramic cartridge
Stainless steel pipe, the thickness is 1.0mm, There are steel
plate fixed the table board, prevent loosening.



JC-1025-A

单温，主体黄铜，黄铜陶瓷阀芯
不锈钢水管，厚1.0mm，有钢片固定
台面防松动
Single temperature, brass body, brass ceramic
cartridge
Stainless steel pipe, the thickness is 1.0mm, There are
steel plate fixed the table board, prevent loosening.



JC-1026

单温，主体黄铜，黄铜陶瓷阀芯
不锈钢水管，厚1.0mm，有钢片固定台面防松动

Single temperature, brass body, brass ceramic cartridge
Stainless steel pipe, the thickness is 1.0mm, There are steel
plate fixed the table board, prevent loosening.



JC-1018

单温净饮水龙头
主体黄铜，黄铜陶瓷阀芯
不锈钢水管，厚0.8mm

Cleaning drinking water single temperature faucet
Brass body, brass ceramic cartridge
Stainless steel pipe, the thickness is 0.8mm



Water Conservation
很节水



Beautiful
很美观




Durable
很耐用

JC-202

单温，主体黄铜，黄铜陶瓷阀芯
不锈钢水管，管径18mm厚0.8mm，有钢片固定
台面防松动

Single temperature, brass body, brass ceramic cartridge
Stainless steel pipe, pipe-diameter is 18mm and the thickness is 0.8mm, There are steel plate fixed the table board, prevent loosening.



FOOD/KNEE PEDAL FAUCET 脚踏/膝顶龙头

LB-1022

不带开关，需配置开关阀使用
主体黄铜，不锈钢水管
管径18mm厚0.8mm

Kitchen range faucet
Without switch, need to be equipped with switch valve
Brass body, stainless steel pipe
Pipe-diameter is 18mm and the thickness is 0.8mm

以下脚踏阀/膝顶阀可选配与LB-1022使用
The following foot/knee valves are optional for use with LB-1022.



LB-900

单温脚踏阀，整体黄铜
注意进出水安装方向



LB-500

单温脚踏阀，整体黄铜
注意进出水安装方向




LB-505

双温膝顶阀
Double temperature knee pedal valve



LB-510

单温膝顶阀
Single temperature knee pedal valve




COOKING RANG

炉灶龙头

JC-031-A

单孔双温，主体黄铜，黄铜陶瓷阀芯
合金手柄，不锈钢管1.0mm


Single hole, double temperature, brass
body, brass ceramic cartridge,
Alloy handle, stainless steel pipe 1.0mm



JC-031-B

单孔双温，主体黄铜，黄铜陶瓷阀芯
合金手柄，不锈钢管1.0mm



Single hole, double temperature, brass
body, brass ceramic cartridge,
Alloy handle, stainless steel pipe 1.0mm



JC-030-A

黄铜主体，不锈钢管1.0mm
无开关配合JC-9P角阀使用

Brass body, stainless steel pipe 1.0mm
No switch is used with JC-9P Angle valve





Double-pass angle valve
双通角阀

JC-030-B

黄铜主体，不锈钢管1.0mm
无开关配合JC-9P角阀使用

Brass body, stainless steel pipe 1.0mm
No switch is used with JC-9P Angle valve



JC-9P
Double-pass angle valve
双通角阀

COOKING RANG


炉灶龙头

LB-1007

单温，主体黄铜，铜螺杆阀芯

合金手柄，不锈钢管0.8mm

Single temperature, brass body, copper screw cartridge, Alloy handle, stainless steel pipe 0.8mm




JC-021

单温，主体黄铜，黄铜陶瓷阀芯

不锈钢水管，管径18mm厚0.8mm，有钢片固定
台面防松动

Single temperature, brass body, brass ceramic cartridge
Stainless steel pipe, pipe-diameter is 18mm and the thickness is 0.8mm, There are steel plate fixed the table board, prevent loosening.




JC-004

入墙安装，主体黄铜，黄铜陶瓷阀芯合金

手柄，不锈钢管管径18mm厚0.8mm

（可选择长手柄，七字形水管）

Wall-mounted, brass body, brass ceramic cartridge. Alloy handle, stainless steel pipe
Pipe-diameter is 18mm and the thickness is 0.8mm (Can choose long handle, seven shape pipe)




JC-222

炉灶龙头


半自动阀芯，带固定板

Cooking Rang Faucet
Semi-automatic cartridge
With fixed plate



JC-020 (300MM) JC-020-C (250MM)


炉灶龙头
半自动阀芯，带固定板
Cooking Rang Faucet
Semi-automatic cartridge
With fixed plate



JC-220-B

不带开关，需配置开关阀使用
主体黄铜，可伸缩水管
不锈钢水管，厚0.8mm


Kitchen range faucet without switch,
need to be equipped with switch valve
Brass body, pipe can be stretch out
and draw back stainless steel pipe, the
thickness is 0.8mm



JC-320

炉灶龙头
主体黄铜，黄铜陶瓷阀芯
不锈钢水管，管径18mm厚0.8mm

Kitchen range faucet
Brass body, brass ceramic cartridge
Stainless steel pipe, pipe-diameter is 18mm and
the thickness is 0.8mm



FAUCET ACCESSORIES 水龙头配件



JC-11P
Single-pass angle valve
单通角阀



JC-3P
Single-pass angle valve
单通角阀



JC-8P
Double-pass angle valve
双通角阀



JC-7P
Double-pass angle valve
双通角阀



JC-9P
Double-pass angle valve
双通角阀



JC-4P
Single-pass delay valve
单通延时阀



JC-10P
Double-pass pressing
delay valve
双通按压延时阀



LB-500
Floor-mounted foot
pedal valve
立式脚踏控制阀



LB-900
Single temperature foot
valve, integral brass
单温脚踏阀，整体黄铜
注意进出水安装方向



JC-5P
Wall-mounted foot
pedal valve
入墙脚踏阀



JC-6P
Deck-mounted
foot pedal valve
座台脚踏阀



JC-2
Check Valve
双温止回阀
整体黄铜，含滤网



JC-700
G1/2 Stainless steel
flexible hose
Length: 600mm/1000mm
G1/2钢丝编织软管
长度600/1000mm



JC-600
Stainless Steel Flexible Hose
Length is 600mm/1000mm
One side is 1/2" Inlets and the
other is 10m x1 inlets
G1/2 与10mx1钢丝编织软管
长度600/1000mm



JC-650
Screw Cartridge
螺杆快开阀芯



JC-750
Ceramic Cartridge
陶瓷阀芯



JC-850
Mix Ceramic
Cartridge
混水陶瓷阀芯